



VAUCONSANT

LA DISTRIBUTION QUI
DONNE DE L'APPÉTIT

COOL BOX

REFRIGERATED CUPBOARD WITH TROLLEY
STORAGE 24H / SHORT TERM SERVICE 1H30



afnor
AC D40-004


R-452A

60 dBa
on average

MATFER BOURGEAT
A PASSION FOR TASTE

**HIGH-PERFORMING
STORAGE 24H
GUARANTEED TEMPERATURE
HOLDING DURING 1H30 WITH
OPEN CURTAIN**

**PRACTICAL & USER-FRIENDLY
EASIER ACCESS TO STORAGE
THROUGH OPEN CURTAIN**

**LARGE CAPACITY
ACCOMODATES TROLLEYS OF
20 LEVELS GN 2/1**

With its motorized insulating electrically controlled curtain, the new Cool Box refrigerated trolley cabinet is the ideal equipment to always have a stock of fresh products that is easy and quick to load.

Thanks to its overpowered refrigeration unit, its perforated side walls which diffuse cold air continuously and its rigorous insulation, the Cool Box perfectly preserves all your products.

After 1h30 of use, with the curtain open, no food will exceed 8 ° C at 25 ° C room temperature.

CAPACITY

- 1 trolley GN 2/1 (not supplied)
- Conditions of use with open curtain : 1h30 max. at + 25°C ambient

STANDARD EQUIPMENT

- 18-10 AISI 304 stainless steel
- Open storage level to accommodate a GN 2/1 trolley (not supplied) - useful internal dimensions: 665 x 865 x 1740 mm
- Motorised electric-controlled stiff insulating curtain, with high and low limit stop
- Manual curtain lift possibility
- U.V germ-killing lamp
- Regulation by digital display thermostat with delayed start clock
- De-icing water evaporation tray supplied


CONSTRUCTION

- Inside and outside in 18-10 stainless steel
- «Ventilated air» refrigeration, perforated side walls for chilled air circulation
- Condensing unit in the upper part
- Unit provided separately (R452a), cooling connection provided for with quick percussion connectors
- Polyurethane foam back and side wall insulation

OPTIONS

- Trolley 20 levels GN 2/1
- Delivered without condensing unit (remote unit)





Length	855
Width	1000 mm
Height	2300 mm
Cooling P.	2126 mm
Electr. P.	1700 W
	Code MJCB00000

OPTIONS

	855
Trolley 20 levels GN 2/1	Code 774420
Delivered without condensing unit (remote unit)	Code OFG13

